















- [42] J. Liu, Y. Gao, and F. Hu, "A fast network intrusion detection system using adaptive synthetic oversampling and LightGBM," *Comput Secur*, vol. 106, p. 102289, Jul. 2021, doi: 10.1016/j.cose.2021.102289.
- [43] M. Belgiu and L. Drăguț, "Random forest in remote sensing: A review of applications and future directions," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 114, pp. 24–31, Apr. 2016, doi: 10.1016/j.isprsjprs.2016.01.011.
- [44] J. Jiang, Q. Wang, Z. Shi, B. Lv, and B. Qi, "RST-RF: A Hybrid Model based on Rough Set Theory and Random Forest for Network Intrusion Detection," in *Proceedings of the 2nd International Conference on Cryptography, Security and Privacy*, Mar. 2018, pp. 77–81. doi: 10.1145/3199478.3199489.
- [45] S. Afraei, K. Shahriar, and S. H. Madani, "Developing intelligent classification models for rock burst prediction after recognizing significant predictor variables, Section 2: Designing classifiers," *Tunnelling and Underground Space Technology*, vol. 84, pp. 522–537, Feb. 2019, doi: 10.1016/j.tust.2018.11.011.
- [46] G. H. Nicholas Frosst, "Distilling a neural network into a soft decision tree," 2017, doi: <https://doi.org/10.48550/arXiv.1711.09784>.
- [47] G. Karatas, O. Demir, and O. K. Sahingoz, "Increasing the Performance of Machine Learning-Based IDSs on an Imbalanced and Up-to-Date Dataset," *IEEE Access*, vol. 8, pp. 32150–32162, 2020. doi: 10.1109/ACCESS.2020.2973219.
- [48] A. Vijay, K. Patidar, M. Yadav, and R. Kushwah, "An efficient intrusion detection mechanism based on particle swarm optimization and KNN," *ACCENTS Transactions on Information Security*, vol. 5, no. 20, pp. 36–41, Oct. 2020, doi: 10.19101/TIS.2020.517003.
- [49] S. Jain, S. C. Jain, and S. Vishwakarma, "Analysis and Prediction of Customers' Reviews with Amazon Dataset on Products," 2020, pp. 445–456. doi: 10.1007/978-981-15-0936-0\_48.
- [50] A. Sharma and P. K. Mishra, "Performance analysis of machine learning based optimized feature selection approaches for breast cancer diagnosis," *International Journal of Information Technology*, vol. 14, no. 4, pp. 1949–1960, Jun. 2022, doi: 10.1007/s41870-021-00671-5.
- [51] A. Tripathy, A. Agrawal, and S. K. Rath, "Classification of sentiment reviews using n-gram machine learning approach," *Expert Syst Appl*, vol. 57, pp. 117–126, Sep. 2016, doi: 10.1016/j.eswa.2016.03.028.
- [52] P. Lin, K. Ye, and C.-Z. Xu, "Dynamic Network Anomaly Detection System by Using Deep Learning Techniques," 2019, pp. 161–176. doi: 10.1007/978-3-030-23502-4\_12.
- [53] B. Roy and H. Cheung, "A Deep Learning Approach for Intrusion Detection in Internet of Things using Bi-Directional Long Short-Term Memory Recurrent Neural Network," in *2018 28th International Telecommunication Networks and Applications Conference (ITNAC)*, Nov. 2018, pp. 1–6. doi: 10.1109/ATNAC.2018.8615294.
- [54] S. A. Ludwig, "Intrusion detection of multiple attack classes using a deep neural net ensemble," in *2017 IEEE Symposium Series on Computational Intelligence (SSCI)*, Nov. 2017, pp. 1–7. doi: 10.1109/SSCI.2017.8280825.
- [55] J. Brandt and E. Lanzén, "A Comparative Review of SMOTE and ADASYN in Imbalanced Data Classification," 2020.