

- 2019, doi: <https://doi.org/10.1016/j.ebiom.2019.06.050>.
- [16] X. Zeng *et al.*, "Efficient and accurate identification of ear diseases using an ensemble deep learning model," *Sci. Rep.*, vol. 11, no. 1, p. 10839, 2021, doi: 10.1038/s41598-021-90345-w.
- [17] Imagenet, "Large Scale Visual Recognition Challenge (ILSVRC)," *ImageNet Large Scale Vis. Recognit. Chall.*, 2015.
- [18] M. P. Harini, "Pengenalan Pola Wajah Manusia menggunakan Transformasi Wavelet dan LDA (Linear Discriminant Analysis)," Institut Teknologi Telkom, 2007.
- [19] W. Verina, "Penerapan Metode Forward Chaining untuk Mendeteksi Penyakit THT," *J. Tek. Inform. Dan Sist. Inf.*, vol. 1, no. 2, pp. 123–138, 2015.
- [20] L. Lisnawita, L. L. Van FC, and E. Lianda, "Sistem Pakar Diagnosa Penyakit THT," *INOVTEK Polbeng - Seri Inform.*, vol. 1, no. 2, p. 95, 2016, doi: 10.35314/isi.v1i2.120.
- [21] C. Ding, T. Bao, S. Karmoshi, and M. Zhu, "Low-resolution face recognition via convolutional neural network," in *2017 IEEE 9th International Conference on Communication Software and Networks (ICCSN)*, 2017, pp. 1157–1161.
- [22] O. Surinta and T. Khamket, "Recognizing pornographic images using deep convolutional neural networks," in *2019 Joint International Conference on Digital Arts, Media and Technology with ECTI Northern Section Conference on Electrical, Electronics, Computer and Telecommunications Engineering (ECTIDAMT-NCON)*, pp. 150–154.
- [23] C. Ouchicha, O. Ammor, and M. Mekkassi, "CVDNet: A novel deep learning architecture for detection of coronavirus (Covid-19) from chest x-ray images," *Chaos , Solitons Fractals*, vol. 140, 2020, doi: 10.1016/j.chaos.2020.110245.
- [24] A.-R. Habib *et al.*, "Artificial intelligence to classify ear disease from otoscopy: A systematic review and meta-analysis," *Clin. Otolaryngol.*, vol. 47, no. 3, pp. 401–413, 2022, doi: <https://doi.org/10.1111/coa.13925>.
- [25] A. A. Hezam, S. A. Mostafa, Z. Baharum, A. Alanda, and M. Z. Salikon, "Combining Deep Learning Models for Enhancing the Detection of Botnet Attacks in Multiple Sensors Internet of Things Networks," *JOIV Int. J. Informatics Vis.*, vol. 5, no. 4, pp. 380–387, 2021.
- [26] K. Hamsu, I. G. P. S. Wijaya, D. Yudhanto, E. A. Yuliani, and H. Mulyana, "Ear Disease Determination on Computer-Assisted Outer and Middle Ear Images," in *The 3rd International Conference on Bioscience and Biotechnology*, 2020.
- [27] A. H. Azizan *et al.*, "A Machine Learning Approach for Improving the Performance of Network Intrusion Detection Systems," *Ann. Emerg. Technol. Comput.*, vol. 5, no. 5, 2021.
- [28] I. G. P. S. Wijaya, D. N. Avianty, F. Bimantoro, and R. Lestari, "Ekstraksi Fitur Citra Radiografi Thorax Menggunakan DWT dan Moment Invariant," *J. Comput. Sci. Informatics Eng.*, vol. 5, no. 2, pp. 158–166, 2021.
- [29] D. Iskandar and Y. K. Suprpto, "Perbandingan Akurasi Klasifikasi Tingkat," *J. Ilm. NERO*, vol. 2, no. 1, pp. 37–43, 2015.
- [30] D. Powers and Ailab, "Evaluation: From precision, recall and F-measure to ROC, informedness, markedness & correlation," *J. Mach. Learn. Technol.*, vol. 2, pp. 2229–3981, Jan. 2011, doi: 10.9735/2229-3981.
- [31] S. Peres, T. Pham, and R. Phillips, "Validation of the System Usability Scale (SUS)," *Proc. Hum. Factors Ergon. Soc. Annu. Meet.*, vol. 57, pp. 192–196, Sep. 2013, doi: 10.1177/1541931213571043.