

II. MATERIAL AND METHOD

This research aims to determine the eligibility of the final project topic Bachelor of Applied Studies on Software Engineering Technology students by implementing the SAW and BORDA method. Some research on SAW method implementation has been conducted for several years. Here is some research on the performance of the SAW method [7] to determine the supervisor and the examiner for students' final projects. In this research, the decision of the supervisor and examiner was selected based on certain criteria through the implementation of the SAW method. Another research was also conducted through the performance of the SAW method [8]. This research was focused on designing the supporting decision-making system application to determine the students' final project supervisors. This research findings revealed that the system could recommend the list of the supervisors as a recommendation to the users based on the accumulation of SW analysis. The system is also supported with the chosen picture for selecting the supervisor. The implementation of SAW and BORDA analysis were also used in Tirtana's research [9]. This research focused on a decision-making support system to determine the AGC award winner. The implementation of the SAW method was used to support individual decisions, while the BORDA method was used to support group decisions. The research conducted by Satriani *et al* [10] also implemented the SAW and BORDA method to determine the zakat recipient of the educational program. The assessment criteria include (dependents of family, income, files, previous year distribution status, and other status findings). The SAW analysis was implemented to get a decision and get the alternative rank affected by the importance weighting values in every decision.

Meanwhile, BORDA analysis was used to get a single decision based on the alternative rank on individual decisions. The results of BORDA analysis were the recommendation of the zakat recipient lists as recommended by the system. The system has been validated through functional testing on BAZNAS staff, and the results showed similar data as proposed on the design and could show the transparency of zakat recipient. Meanwhile, the interface testing to society showed a percentage of 87%. Sari *et al.* [11] compared SAW BORDA analysis and TOPSIS BORDA analysis to determine the zakat recipient on Educational program. The findings revealed that both SAW BORDA analysis and BORDA analysis were biased to support the decision to decide the zakat recipient on the Educational program. Syauckani and Hartati [12] focused on designing a group decision support system. It explored the development of a supporting system on group decisions to diagnose Pneumonia patients. The system was designed to help the medical personnel diagnose pneumonia patients and to reduce the level of delay in handling the pneumonia students, and as well as to minimize any error in administering antibiotics to pneumonia patients.

It was defined that a decision-maker is a process or a selection activity among several alternatives to get single or multiple purposes [13]. Generally, decision-making is a selection activity from several activities that were chosen through a certain mechanism to get the most excellent decision[14]–[16].

Simple Additive Weighting (SAW) is one of the methods that is mostly used in multiple criteria decision making

(MCDM)[17]. SAW consists of attribute assessments for every alternative and it is represented in a decision assessment matrix [18], [19]. The matrix was used to determine the whole criteria and scoring from each alternative. The SAW method required normalization matrix decision (X) to compare with the existing alternative ranks.

$$r_{ij} = \frac{X_{ij}}{\max_i X_{ij}} \text{ If } j \text{ is the benefit attribute (benefit)} \quad (1)$$

$$r_{ij} = \frac{\min_i X_{ij}}{X_{ij}} \text{ if } j \text{ is the cost attribute (cost)} \quad (2)$$

If the attribute is positive, the attribute is categorized into beneficial, while the attribute is categorically cost if the attribute is negative. In further, the highest value of alternative was determined as the best alternative. The analyst structure of the SAW method for N alternative and attribute M could be formulated as follows:

$$S_i = \sum_{j=1}^M W_j r_{ij} \quad (3)$$

for $i = 1, 2, \dots, N$

notes

S_i the accumulation of total value from alternative -i

r_{ij} a normalization of alternative rating eo-I for criteria

j

$r_{ij} = x_{ij} / (\max_i x_{ij})$ for benefit attributive and $r_{ij} = (1 / x_{ij}) / (\max_i (1/x_{ij}))$ for cost criteria that represented an element of normalized Matric R

x_{ij} is the element of a matrix decision A, that represented the original value from j criteria to i-alternative

w_j the value of j criteria

N the accumulation of alternatives

W the accumulation of criteria

SAW method is to accumulate the values on each alternative and compare the values among each alternative [20]. SAW method required a normalization matrix to a certain scale that compared with the existing alternative values. Figure 1 shows the stages of decision-making through the SAW method.

Group Decision Support System is a Computer-Based system that supports involving groups for common goals [9]. The methods involved in group decisions (for MCDM in particular) would meet the challenges when the decision-maker gives the preference individually. Generally, two stages should be implemented in group decisions: stimulating decision-maker preference and group aggregation on each given preference. The stages of problem-solving through the implementation of Borda analysis are explained as follows [21]:

- The determination of the highest rating value in an alternative sequence is valued m, in which m is the accumulation of alternatives minus 1. The second highest position is valued m-1, and the series up to the last order is valued 0.
- The value is used as a multiplier of sounds derived from the position concerned.
- Based on BORDA'S functional, statistical analysis of its alternative, the highest selection is the most likely alternative selected by the respondent.

Generally, the design of the system architecture can be seen in Figure 1. The stages began with inserting the data of each criterion in each alternative and weight on its criteria. Then, a

decision matrix was created as well as a weighted criteria revision. The normalization on the decision matrix was processed. Then the multiplication of decision matrix with

certain weighted criteria, so the preference of each alternative was found.




Fig. 1 The Stages of decision-making process through SAW method




Fig. 2 Process Architecture of BORDA Voting

After doing the decision-making process shown in Figure 1, Figure 2 shows the preference results of each lecturer as decision-makers combined with the BORDA method. BORDA ranking was derived from the highest score based on score [22]. The following is BORDA calculation matrix.

$$B = \begin{matrix} & A_1 & A_2 & \dots & A_n & \text{Row sum} \\ \begin{matrix} A_1 \\ A_2 \\ \vdots \\ A_n \end{matrix} & \begin{bmatrix} 0 & b_{12} & \dots & b_{1n} \\ b_{21} & 0 & \dots & b_{2n} \\ \vdots & \vdots & \ddots & \vdots \\ b_{n1} & b_{n2} & \dots & 0 \end{bmatrix} & \begin{matrix} S_1 \\ S_2 \\ \vdots \\ S_n \end{matrix} \end{matrix} \quad (4)$$

III. RESULT AND DISCUSSION

A. Calculation Process

Using the five criteria below, the study program is expected to shorten the students' final project eligibility. These criteria are as follows:

- C1: originality and novelty
- C2: target and topic contribution
- C3: Methodology
- C4: similarity

There were ten topics used as alternatives in this research. The selection of the best topics through the SAW method was used in this research. The process was begun by reading the attribute value of each criterion for all of the alternatives and each attribute (Table 1). The process was started with constructing a match and a criteria rating table. The value of

the match rating is a subjective assessment of a decision-maker.

TABLE I
MATCH RATING OF LECTURER 1

Alternative	Criteria			
	C1	C2	C3	C4
Topic 1	2	2	3	4
Topic 2	3	4	3	3
Topic 3	3	4	3	3
Topic 4	4	4	3	4
Topic 5	2	2	3	5
Topic 6	3	3	2	3
Topic 7	4	4	4	2
Topic 8	5	4	4	1
Topic 9	5	5	4	1
Topic 10	3	3	3	3
Max	5	5	4	5
Min	2	2	2	1

Next is the process of calculating the normalization matrix (Table 2) on the match rating table to the compared matrix according to formula 1. An attribute would benefit if the higher score gave the bigger opportunity for the selecting alternative to get the highest rank. On the other hand, the attribute is a cost; if the higher value is given to the attribute, the smaller opportunity of the alternative to reach the highest rank.

TABLE II
NORMALIZATION CALCULATION OF LECTURER 1

Alternative	Criteria			
	C1	C2	C3	C4
Topic 1	0.4	0.4	0.75	0.25
Topic 2	0.6	0.8	0.75	0.33
Topic 3	0.6	0.8	0.75	0.33
Topic 4	0.8	0.8	0.75	0.25
Topic 5	0.4	0.4	0.75	0.2
Topic 6	0.6	0.6	0.5	0.33
Topic 7	0.8	0.8	1	0.5
Topic 8	1	0.8	1	1
Topic 9	1	1	1	1
Topic 10	0.6	0.6	0.75	0.33

If Lecturer 1 determine weight preference as $W = (5,4,3,5)$ means as follows: The importance level of criteria 1 is 5, The importance level of criteria 2 is 4, The importance level of criteria 3 is 3, The importance level of criteria 4 is 5. Then, the weight value (W) is multiplied by the normalization calculation table (Table 3)

TABLE III
MULTIPLICATION OF WEIGHT AND NORMALIZATION CALCULATION OF LECTURER 1

Alternative	Criteria				Score
	C1 (5)	C2 (4)	C3 (3)	C4 (5)	
Topic 1	2	1.6	2.25	1.25	4.60
Topic 2	3	3.2	2.25	1.67	6.78
Topic 3	3	3.2	2.25	1.67	6.78
Topic 4	4	3.2	2.25	1.25	8.20
Topic 5	2	1.6	2.25	1	4.85
Topic 6	3	2.4	1.5	1.67	5.23
Topic 7	4	3.2	3	2.5	7.70
Topic 8	5	3.2	3	5	6.20
Topic 9	5	4	3	5	7.00
Topic 10	3	2.4	2.25	1.67	5.98

The multiplication calculation of normalized data with weighted value is calculated for each alternative's attributes to get the alternative value. The biggest alternative score means the best alternative. To determine the eligibility of the final project topic, the expertise team could decide the selected topics if the value is bigger or similar to 6.50. Table III shows the five topics with the value ≥ 6.50 , namely Topic 2, Topic 3, Topic 4, Topic 7, and Topic 9. The calculation is regulated for every lecturer of the expert team.

TABLE IV
MATCH RATING OF LECTURER 2

Alternative	Criteria			
	C1	C2	C3	C4
Topic 1	1	2	4	5
Topic 2	4	4	3	2
Topic 3	4	3	3	2
Topic 4	4	4	3	4
Topic 5	2	3	3	4
Topic 6	3	3	4	1
Topic 7	5	4	4	1
Topic 8	5	4	2	1
Topic 9	5	4	4	1
Topic 10	3	3	4	2
Max	5	4	4	5
Min	1	2	2	1

Next is the process of calculating the normalization matrix on the match rating table for Lecturer 2.

TABLE V
NORMALIZATION CALCULATION OF LECTURER 2

Alternative	Criteria			
	C1	C2	C3	C4
Topic 1	0.2	0.5	1	0.2
Topic 2	0.8	1	0.75	0.5
Topic 3	0.8	0.75	0.75	0.5
Topic 4	0.8	1	0.75	0.25
Topic 5	0.4	0.75	0.75	0.25
Topic 6	0.6	0.75	1	1
Topic 7	1	1	1	1
Topic 8	1	1	0.5	1
Topic 9	1	1	1	1
Topic 10	0.6	0.75	1	0.5

If Lecturer 2 determines weighted preference as $W = (5,4,4,5)$, so the weight value (W) is multiplied by the normalization calculation table (Table 6).

TABLE VI
MULTIPLICATION OF WEIGHT AND NORMALIZATION CALCULATION OF LECTURER 2

Alternative	Criteria				Score
	C1 (5)	C2 (4)	C3 (4)	C4 (5)	
Topic 1	1	2	4	1	6.00
Topic 2	4	4	3	2.5	8.50
Topic 3	4	3	3	2.5	7.50
Topic 4	4	4	3	1.25	9.75
Topic 5	2	3	3	1.25	6.75
Topic 6	3	3	4	5	5.00
Topic 7	5	4	4	5	8.00
Topic 8	5	4	2	5	6.00
Topic 9	5	4	4	5	8.00
Topic 10	3	3	4	2.5	7.50

The alternatives are then shorted from the largest value to the lowest. Thus, the successive alternative is obtained based on Topic 2, Topic 3, Topic 4, Topic 5, Topic 7, Topic 9, and Topic 10. Then, if the ranking results are obtained from each expertise team, the preference value of each expertise was analyzed through the BORDA method to get the best alternative decision method.

TABLE VII
RESULTS OF BORDA ANALYSIS

Alter-native	Ranking										Ranking	Weights
	1	2	3	4	5	6	7	8	9	10		
Topic 1	0	0	0	0	0	0	0	1	0	1	2	0.02
Topic 2	0	1	0	1	0	0	0	0	0	0	14	0.16
Topic 3	0	0	0	0	2	0	0	0	0	0	10	0.11
Topic 4	2	0	0	0	0	0	0	0	0	0	18	0.20
Topic 5	0	0	0	0	0	0	1	0	1	0	4	0.04
Topic 6	0	0	0	0	0	0	0	1	0	1	2	0.02
Topic 7	0	1	1	0	0	0	0	0	0	0	15	0.17
Topic 8	0	0	0	0	0	1	0	0	1	0	5	0.06
Topic 9	0	0	1	1	0	0	0	0	0	0	13	0.14
Topic 10	0	0	0	0	0	1	1	0	0	0	7	0.08

B. Performance Sensitivity Testing

To get the performance of the most sensitive criteria on the preference values as the results of SAW analysis [23], [24]. The additional and the reduction of the weight value was given sequentially -20%, -10%, 0%, 10%, 20% is the assessment process to test the sensitivity [25]. The results of sensitivity performance testing can be seen in Table VIII to table XI.

TABLE VIII
THE CALCULATION OF THE SENSITIVITY PERFORMANCE ANALYSIS ON C 1

C1 (-20%)	C1 (-10%)	C1 (0%)	C1 (10%)	C1(20%)
4,200 10	4,400 10	4,600 10	4,800 10	5,000 10
6,183 3	6,483 4	6,783 4	7,083 4	7,383 4
6,183 4	6,483 5	6,783 5	7,083 5	7,383 5
7,400 1	7,800 1	8,200 1	8,600 1	9,000 1
4,450 9	4,650 9	4,850 9	5,050 9	5,250 9
4,633 8	4,933 8	5,233 8	5,533 8	5,833 8
6,900 2	7,300 2	7,700 2	8,100 2	8,500 2
5,200 7	5,700 6	6,200 6	6,700 6	7,200 6
6,000 5	6,500 3	7,000 3	7,500 3	8,000 3
5,383 6	5,683 7	5,983 7	6,283 7	6,583 7

TABLE IX
THE CALCULATION OF THE SENSITIVITY PERFORMANCE ANALYSIS ON C 2

C2 (-20%)	C2 (-10%)	C2 (0%)	C2 (10%)	C2(20%)
4,280 10	4,440 10	4,600 10	4,760 10	4,920 10
6,143 4	6,463 4	6,783 4	7,103 4	7,423 4
6,143 5	6,463 5	6,783 5	7,103 5	7,423 5
7,560 1	7,880 1	8,200 1	8,520 1	8,840 1
4,530 9	4,690 9	4,850 9	5,010 9	5,170 9
4,753 8	4,993 8	5,233 8	5,473 8	5,713 8
7,060 2	7,380 2	7,700 2	8,020 2	8,340 2
5,560 6	5,880 6	6,200 6	6,520 6	6,840 6
6,200 3	6,600 3	7,000 3	7,400 3	7,800 3
5,503 7	5,743 7	5,983 7	6,223 7	6,463 7

TABLE X
THE CALCULATION OF THE SENSITIVITY PERFORMANCE ANALYSIS ON C 3

C3 (-20%)	C3 (-10%)	C3 (0%)	C3 (10%)	C3(20%)
4,150 10	4,375 10	4,600 10	4,825 10	5,050 10
6,333 4	6,558 4	6,783 4	7,008 4	7,233 4
6,333 5	6,558 5	6,783 5	7,008 5	7,233 5
7,750 1	7,975 1	8,200 1	8,425 1	8,650 1
4,400 9	4,625 9	4,850 9	5,075 9	5,300 9
4,933 8	5,083 8	5,233 8	5,383 8	5,533 8
7,100 2	7,400 2	7,700 2	8,000 2	8,300 2
5,600 6	5,900 6	6,200 6	6,500 6	6,800 6
6,400 3	6,700 3	7,000 3	7,300 3	7,600 3
5,533 7	5,758 7	5,983 7	6,208 7	6,433 7

TABLE XI
THE CALCULATION OF THE SENSITIVITY PERFORMANCE OF CALCULATION RESULTS ANALYSIS ON C 4

C4 (-20%)	C4 (-10%)	C4 (0%)	C4 (10%)	C4(20%)
4,850 10	4,725 10	4,600 10	4,475 10	4,350 10
7,117 5	6,950 4	6,783 4	6,617 3	6,450 3
7,117 6	6,950 5	6,783 5	6,617 4	6,450 4
8,450 1	8,325 1	8,200 1	8,075 1	7,950 1
5,050 9	4,950 9	4,850 9	4,750 9	4,650 9
5,567 8	5,400 8	5,233 8	5,067 8	4,900 8
8,200 2	7,950 2	7,700 2	7,450 2	7,200 2
7,200 4	6,700 6	6,200 6	5,700 7	5,200 7
8,000 3	7,500 3	7,000 3	6,500 5	6,000 5
6,317 7	6,150 7	5,983 7	5,817 6	5,650 6

The sensitivity Performance Testing shows that C 1 and C 4 criteria were sensitive on ranking results. It is expected to be a suggestion for the teachers to give preference values by adding or reducing the values of each weight.

IV. CONCLUSION

SAW and BORDA methods could be used to determine the eligibility of students' final topics. The selection of the best alternatives through the implementation of SAW method significantly affects the decision-makers weight value (w).

ACKNOWLEDGMENT

The authors are grateful to Politeknik Negeri Padang for funding this research under the contract number 287 / PL9.15 / PG / 2020 dated 23 July 2020.

REFERENCES

- [1] Direktur Politeknik Negeri Padang, *Peraturan Akademik PNP 2018*. 2018.
- [2] D. Meidelfi, "Penerapan Metode SAW (Simple Additive Weighting) Dalam Pendukung Keputusan Pemilihan Kepala Daerah," *SAINSTEK*, vol. XII, no. 2, pp. 180–183, 2015.
- [3] H. Wang, Y. Cai, Q. Tan, and Y. Zeng, "Evaluation of groundwater remediation technologies based on fuzzy multi-criteria decision analysis approaches," *Water (Switzerland)*, 2017, doi: 10.3390/w9060443.
- [4] K. E. Cheng and F. P. Deek, "Voting methods and information exchange in group support systems," 2006.
- [5] D. N. Ilham and S. Mulyana, "Sistem Pendukung Keputusan Kelompok Pemilihan Tempat PKL mahasiswa dengan Menggunakan Metode AHP dan Borda," *IJCCS (Indonesian J. Comput. Cybern. Syst.)*, 2017, doi: 10.22146/ijccs.16595.

- [6] P. M. da Rocha, A. P. de Barros, G. B. da Silva, and H. G. Costa, "Analysis of the operational performance of brazilian airport terminals: A multicriteria approach with De Borda-AHP integration," *J. Air Transp. Manag.*, 2016, doi: 10.1016/j.jairtraman.2015.11.003.
- [7] I. Septiana, M. Irfan, A. R. Atmadja, and B. Subaeki, "Sistem Pendukung Keputusan Penentu Dosen Penguji Dan Pembimbing Tugas Akhir Menggunakan Fuzzy Multiple Attribute Decision Making dengan Simple Additive Weighting (Studi Kasus: Jurusan Teknik Informatika UIN SGD Bandung)," *J. Online Inform.*, 2016, doi: 10.15575/join.v1i1.10.
- [8] I. Laengge, H. F. Wowor, and M. D. Putro, "Sistem Pendukung Keputusan Dalam Menentukan Dosen Pembimbing Skripsi," *J. Tek. Inform.*, 2016, doi: 10.35793/jti.9.1.2016.13776.
- [9] A. Tirtana, "Sistem Pendukung Keputusan Kelompok Untuk Menentukan Penerima AGC Award Menggunakan Metode Simple Additive Weighting dan Borda," *J. Inform. J. Pengemb. IT*, 2019, doi: 10.30591/jpit.v4i1.1062.
- [10] E. Satriani, Ilhamsyah, and R. Puspita Sari, "Sistem Pendukung Keputusan Kelompok Penerima Zakat Program Pendidikan Dengan Metode Saw Dan Borda," *J. Komput. dan Apl.*, 2019.
- [11] R. Sari, I. Istikoma, and F. Supriadi, "The Comparison of SAW BORDA and TOPSIS BORDA Methods In the Zakat Recipient Determination System Education programs (Case Study: BAZNAS, West Kalimantan Province)," 2020, doi: 10.4108/eai.11-12-2019.2290862.
- [12] M. Syaukani and S. Hartati, "Pemodelan Sistem Pendukung Keputusan Kelompok untuk Diagnosa Penyakit Pneumonia Dengan Fuzzy Linguistic Quantifier dan AHP," *J. Ilmu Komput.*, 2012.
- [13] E. Turban, J. Aronson, and T. Llang, *Decision Support Systems and Intelligent Systems*. 2003.
- [14] J. C. Hershauer, "The New Science of Management Decision.," *Acad. Manag. Rev.*, 1978, doi: 10.5465/amr.1978.4297098.
- [15] T. F. A. Aziz, S. Sulistiyono, H. Harsiti, A. Setyawan, A. Suhendar, and T. A. Munandar, "Group decision support system for employee performance evaluation using combined simple additive weighting and Borda," 2020, doi: 10.1088/1757-899X/830/3/032014.
- [16] N. Setiawan *et al.*, "Simple additive weighting as decision support system for determining employees salary," *Int. J. Eng. Technol.*, 2018.
- [17] R. Ali, M. Nikolic, and A. Zahra, "Personnel selection using group fuzzy AHP and SAW methods," *J. Eng. Manag. Compet.*, 2017, doi: 10.5937/jemc1701003a.
- [18] S. H. Kusumadewi, "Fuzzy Multi-Attribute Decision Making (Fuzzy MADM)," *Graha Ilmu Yogyakarta*, 2006.
- [19] I. Kaliszewski and D. Podkopaev, "Simple additive weighting - A metamodel for multiple criteria decision analysis methods," *Expert Syst. Appl.*, 2016, doi: 10.1016/j.eswa.2016.01.042.
- [20] S. H. Sahir, R. Rosmawati, and K. Minan, "Simple Additive Weighting Method to Determining Employee Salary Increase Rate," *IJSRST*, 2017.
- [21] M. Dwiny and H. Sri, "Aplikasi Sistem Pendukung Keputusan Kelompok untuk Pemilihan Tanaman Pertanian Lahan Kering," *Bimipa*, 2013.
- [22] W. W. Wu, "Beyond Travel & Tourism competitiveness ranking using DEA, GST, ANN and Borda count," *Expert Syst. Appl.*, 2011, doi: 10.1016/j.eswa.2011.04.096.
- [23] S. Kusumadewi and S. Hartati, "Sensitivity analysis of multi-attribute decision making methods in clinical group decision support system," 2007, doi: 10.1109/ICIAS.2007.4658395.
- [24] A. Alinezhad, A. Amini, and A. Alinezhad, "Sensitivity analysis of simple additive weighting method (SAW): the results of change in the weight of one attribute on the final ranking of alternatives," *J. Ind. Eng.*, 2009.
- [25] W. Yusnaeni and R. Ningsih, "Uji Sensitifitas Metode TOPSIS, SAW dan WP Untuk Menentukan Pemilihan Supplier," *Snit 2018*, 2018.