

accuracy of the system by utilizing tests through more experimental groups.

REFERENCES

- [1] J. Zhang, H. Zhang, C. Dong, F. Huang, Q. Liu, and A. Song, "Architecture and Design of a Wearable Robotic System for Body Posture Monitoring, Correction, and Rehabilitation Assist," *Int. J. of Soc. Robotics*, vol. 11, pp. 423–436, Jan. 2019.
- [2] J. H. Park, S. Y. Kang, S. G. Lee, and H. S. Jeon, "The effects of smart phone gaming duration on muscle activation and spinal posture: Pilot study," *Physiother. Theory Pract.*, vol. 33, pp. 661-669, Jun. 2017.
- [3] H. Yeom, J. Lim, S.H. Yoo, and W. Lee, "A new posture-correcting system using a vector angle model for preventing forward head posture," *Biotechnol. Biotechnol. Equip.*, vol. 28, pp. S6-S13, Jun. 2014.
- [4] E. Low, T. H. Sam, K. S. Tee, R. Abdul Rahim., H. Saim, W. N. Wan Zakaria, S. Mohd Khialdin, H. Isa, and C. F. Soon, "Development of a Wireless and Ambulatory Posture Monitoring System," *Int. J. Integr. Eng.*, vol. 12, pp. 170-176. Mar. 2020.
- [5] (2016) Health Insurance Review & Assessment Service homepage. [Online]. Available: <http://www.xn--o39aob3rt69c9lez0dj5ib52apde.com/bbsDummy.do?pgmid=HIRAA020041000100&brdScnBltno=4&brdBltno=9281#none>
- [6] C. Bontrup, W. R. Taylor, M. Fliesser, R. Visscher, T. Green, P. M. Wippert, and R. Zemp, "Low back pain and its relationship with sitting behaviour among sedentary office workers," *Applied Ergonomics*, vol. 81, 102894, Nov. 2019.
- [7] R. Baptista, M. Antunes, A.E.R. Shabayek, D. Aouada, and B. Ottersten, "Flexible feedback system for posture monitoring and correction," in *2017 Fourth International Conference on Image Information Processing (ICIIP)*, Shimla, India, 2017, pp. 1-6.
- [8] S. Matuska, M. Paralic, and R. Hudec, "A Smart System for Sitting Posture Detection Based on Force Sensors and Mobile Application," *Mobile Information Systems*, vol. 2020, pp.1-13. Nov. 2020.
- [9] S. Sathyanarayana, R. Satzoda, S. Sathyanarayana, and S. Thambipillai, "Vision-based patient monitoring: a comprehensive review of algorithms and technologies." *Journal of Ambient Intelligence and Humanized Computing*, vol. 9, pp. 225–251, Apr. 2018.
- [10] C. Ma, W. Li, R. Gravina, and G. Fortino, "Posture Detection Based on Smart Cushion for Wheelchair Users," *Sensors*, vol. 17, 719, Mar. 2017.
- [11] R. C. Ailneni, K. R. Syamala, I. S. Kim, and J. Hwang, "Influence of the wearable posture correction sensor on head and neck posture: Sitting and standing workstations," *Work*, vol. 62, pp. 27-35, Feb. 2019.
- [12] CC. Wu, CC. Chiu, and CY. Yeh, "Development of wearable posture monitoring system for dynamic assessment of sitting posture," *Phys. Eng. Sci. Med.*, vol.43, pp. 187–203, Mar. 2020.
- [13] J. Roh, H-j. Park, KJ Lee, J. Hyeong, S. Kim, and B. Lee, "Sitting Posture Monitoring System Based on a Low-Cost Load Cell Using Machine Learning," *Sensors*, vol. 18, 208, Jan. 2018.
- [14] M. Kim, H. Kim, J. Park, K. Jee, J. A. Lim, and M. Park, "Real-time sitting posture correction system based on highly durable and washable electronic textile pressure sensors," *Sensors and Actuators A: Physical*, vol. 269, pp. 394-400, Jan. 2018.
- [15] M. Bayattork, MB. Sköld, E. Sundstrup, and LL. Andersen, "Exercise interventions to improve postural malalignments in head, neck, and trunk among adolescents, adults, and older people: systematic review of randomized controlled trials." *J Exerc Rehabil*, vol. 16, pp.36-48, Feb. 2020.
- [16] S. Park, and W. Yoo, "Effect of EMG-based Feedback on Posture Correction during Computer Operation," *J. Occup. Health Psychol.*, vol. 54, pp. 271-227, Jan. 2013.
- [17] R. Sheikhhoseini, S. Shahrbanian, P. Sayyadi, and K. O'Sullivan, "Effectiveness of Therapeutic Exercise on Forward Head Posture: A Systematic Review and Meta-analysis," *J. Manipulative Physiol. Ther.*, vol. 41, pp. 530-539, Aug. 2018.
- [18] S. J. Kim. (2018) Health Chosun News website. [Online]. Available: https://m.health.chosun.com/svc/news_view.html?contid=2018041700144
- [19] N. Akkarakittichoke, and P. Janwantanakul, "Seat Pressure Distribution Characteristics During 1 Hour Sitting in Office Workers with and Without Chronic Low Back Pain," *Safety and Health at Work*, vol. 8, pp. 212-219, Jun. 2017.
- [20] P. Waongenngarm, A. J. van der Beek, N. Akkarakittichoke, and P. Janwantanakul, "Perceived musculoskeletal discomfort and its association with postural shifts during 4-h prolonged sitting in office workers," *Applied Ergonomics*, vol. 89, 103225, Nov. 2020.