















- A design expert laden approach,” *J. Food Process. Preserv.*, no. September 2020, pp. 1–8, Jan. 2021, doi: 10.1111/jfpp.15248.
- [6] J. Wang, A. S. Mujumdar, H. Wang, X.-M. Fang, H.-W. Xiao, and V. Raghavan, “Effect of drying method and cultivar on sensory attributes, textural profiles, and volatile characteristics of grape raisins,” *Dry. Technol.*, vol. 39, no. 4, pp. 495–506, Feb. 2021, doi: 10.1080/07373937.2019.1709199.
- [7] R. Sadeghi, E. Seyedabadi, and R. M. Moghaddam, “Evaluation of Microwave and Ozone Disinfections on the Color Characteristics of Iranian Export Raisins Through an Image Processing Technique,” *J. Food Prot.*, vol. 82, no. 12, pp. 2080–2087, Dec. 2019, doi: 10.4315/0362-028X.JFP-19-296.
- [8] M. Khojastehnazhand and H. Ramezani, “Machine vision system for classification of bulk raisins using texture features,” *J. Food Eng.*, vol. 271, no. September 2019, p. 109864, Apr. 2020, doi: 10.1016/j.jfoodeng.2019.109864.
- [9] Y. Zhao, X. Xu, and Y. He, “A Novel Hyperspectral Feature-Extraction Algorithm Based on Waveform Resolution for Raisin Classification,” *Appl. Spectrosc.*, vol. 69, no. 12, pp. 1442–1456, Dec. 2015, doi: 10.1366/14-07617.
- [10] J. Guo *et al.*, “Near-infrared spectroscopy combined with pattern recognition algorithms to quickly classify raisins,” *Sci. Rep.*, vol. 12, no. 1, p. 7928, May 2022, doi: 10.1038/s41598-022-12001-1.
- [11] L. Feng, S. Zhu, C. Zhang, Y. Bao, P. Gao, and Y. He, “Variety Identification of Raisins Using Near-Infrared Hyperspectral Imaging,” *Molecules*, vol. 23, no. 11, p. 2907, Nov. 2018, doi: 10.3390/molecules23112907.
- [12] Y. Zhang, Y. Yang, C. Ma, and L. Jiang, “Identification of multiple raisins by feature fusion combined with NIR spectroscopy,” *PLoS One*, vol. 17, no. 7, p. e0268979, Jul. 2022, doi: 10.1371/journal.pone.0268979.
- [13] K. Mollazade, M. Omid, and A. Arefi, “Comparing data mining classifiers for grading raisins based on visual features,” *Comput. Electron. Agric.*, vol. 84, pp. 124–131, Jun. 2012, doi: 10.1016/j.compag.2012.03.004.
- [14] A. Bakhshipour, A. Jafari, and A. Zomorodian, “Vision based features in moisture content measurement during raisin production,” *World Appl. Sci. J.*, vol. 17, no. 7, pp. 860–869, 2012.
- [15] Y. Zhao, M. L. Guindo, X. Xu, X. Shi, M. Sun, and Y. He, “A Novel Raisin Segmentation Algorithm Based on Deep Learning and Morphological Analysis,” *Eng. Agricola*, vol. 39, no. 5, pp. 639–648, Oct. 2019, doi: 10.1590/1809-4430-eng.agric.v39n5p639-648/2019.
- [16] N. Karimi, R. Ranjbarzadeh Kondrood, and T. Alizadeh, “An intelligent system for quality measurement of Golden Bleached raisins using two comparative machine learning algorithms,” *Measurement*, vol. 107, pp. 68–76, Sep. 2017, doi: 10.1016/j.measurement.2017.05.009.
- [17] İ. Çinar, M. Koklu, and Ş. Taşdemir, “Classification of Raisin Grains Using Machine Vision and Artificial Intelligence Methods,” *Gazi J. Eng. Sci.*, vol. 6, no. 3, pp. 200–209, Dec. 2020, doi: 10.30855/gmbd.2020.03.03.
- [18] I. Cinar and M. KOKLU, “Classification of Rice Varieties Using Artificial Intelligence Methods,” *Int. J. Intell. Syst. Appl. Eng.*, vol. 7, no. 3, pp. 188–194, Sep. 2019, doi: 10.18201/ijisae.2019355381.
- [19] F. Tarakci and I. A. Ozkan, “Comparison of classification performance of kNN and WKNN algorithms,” vol. 20, no. 02, pp. 32–37, 2021, [Online]. Available: <https://sujes.selcuk.edu.tr/sujes/article/view/536>.
- [20] T. Zaman, “An efficient exponential estimator of the mean under stratified random sampling,” *Math. Popul. Stud.*, vol. 28, no. 2, pp. 104–121, Apr. 2021, doi: 10.1080/08898480.2020.1767420.
- [21] R. Rachmatika and A. Bisri, “Perbandingan Model Klasifikasi untuk Evaluasi Kinerja Akademik Mahasiswa,” *JEPIN (Jurnal Edukasi dan Penelit. Inform.*, vol. 6, no. 3, pp. 417–422, 2020, doi: <http://dx.doi.org/10.26418/jp.v6i3.43097>.
- [22] A. Bisri and R. Rachmatika, “Integrasi Gradient Boosted Trees dengan SMOTE dan Bagging untuk Deteksi Kelulusan Mahasiswa,” *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 8, no. 4, p. 309, Nov. 2019, doi: 10.22146/jnteti.v8i4.529.
- [23] T. Chen and C. Guestrin, “XGBoost: a scalable tree boosting system In: Proceedings of the 22Nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining. New York, NY: ACM; 2016: 785–94.” 2016.
- [24] M. J. Zaki and W. J. Meira, *Data Mining and Machine Learning Fundamental Concepts and Algorithms*, Second. 2020.
- [25] L. Niu, “A review of the application of logistic regression in educational research: common issues, implications, and suggestions,” *Educ. Rev.*, vol. 72, no. 1, pp. 41–67, 2020, doi: 10.1080/00131911.2018.1483892.
- [26] C. C. Aggarwal, “Machine Learning for Text: An Introduction,” in *Machine Learning for Text*, Cham: Springer International Publishing, 2018, pp. 1–16.
- [27] V. Kotu and B. Deshpande, *Data Science: Concepts and Practice*, Second Edi. Morgan Kaufmann, 2019.
- [28] J. P. Quintas, F. Machado e Costa, and A. C. Braga, “ROSY Application for Selecting R Packages that Perform ROC Analysis,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 12251 LNCS, 2020, pp. 199–213.
- [29] F. Gorunescu, *Data Mining: Concepts, Models and Techniques*, vol. 12. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011.
- [30] G. James, Daniela Witten, T. Hastie, and R. Tibshirani, *Springer Texts in Statistics An Introduction to Statistical Learning with application in R*. 2013.