













- [5] B. M. Noone and T. A. Maier, "A decision framework for restaurant revenue management," *J. Revenue Pricing Manag.*, vol. 14, no. 4, pp. 231–244, 2015, doi: 10.1057/rpm.2015.15.
- [6] S. Oktaviani, A. Sudono, and O. Sukirman, "Analisis Menu Engineering Pada Menu A ' la Carte di Grand Pasundan Convention Hotel Dalam Upaya Meningkatkan Keputusan Pembelian Melalui Suggestive Selling," vol. 4, 2008.
- [7] N. A. S. Kadek, N. K. Bagiastuti, I. A. Elistyawati, and M. Sudiarta, "Menu Engineering on Main Course to Increase Sales," *Int. J. Glocal Tour.*, vol. 1, no. 1, pp. 51–60, 2020.
- [8] H. Atkinson and P. Jones, "Menu Engineering: Managing the Foodservice Micro-Marketing Mix," *J. Restaur. Foodserv. Mark.*, vol. 1, no. 1, pp. 37–55, 1993, doi: 10.1300/J061v01n01.
- [9] M. L. Kasavana and D. Smith, *Menu Engineering: A Practical Guide to Menu Analysis*. Lansing: 1982.
- [10] G. Rigas, "Menu Profitability Analysis Models: Linking Theory and Practice in the Greek Hospitality Context," no. December, pp. 1–62, 2018.
- [11] D. V. Pavesic, "Cost/margin analysis: a third approach to menu pricing and design," *Int. J. Hosp. Manag.*, vol. 2, no. 3, pp. 127–134, 1983, doi: 10.1016/0278-4319(83)90033-6.
- [12] M. Tom and K. Annaraud, "A fuzzy multi-criteria decision making model for menu engineering," *IEEE Int. Conf. Fuzzy Syst.*, 2017, doi: 10.1109/FUZZ-IEEE.2017.8015612.
- [13] N. Setiyawati *et al.*, "Implementation of Two-Step Clustering Method in Menu," vol. 7, no. 2, 2020, doi: 10.25126/jtiik.202072012.
- [14] S. S. Nagari and L. Inayati, "Implementation of Clustering Using K-Means Method To Determine Nutritional Status," *J. Biometrika dan Kependud.*, vol. 9, no. 1, p. 62, 2020, doi: 10.20473/jbk.v9i1.2020.62-68.
- [15] M. Z. Rodriguez *et al.*, *Clustering algorithms: A comparative approach*, vol. 14, no. 1. 2019.
- [16] Y. Singh and A. Mohan, "A Survey on Unsupervised Clustering Algorithm based on K-Means Clustering," *Int. J. Comput. Appl.*, vol. 156, no. 8, pp. 6–9, 2016, doi: 10.5120/ijca2016912481.
- [17] K. Abhishekkumar, "Survey Report on K-Means Clustering Algorithm," *Int. J. Mod. Trends Eng. Res.*, vol. 4, no. 4, pp. 218–221, 2017, doi: 10.21884/ijmter.2017.4143.lgjzd.
- [18] S. Shukla, "A Review ON K-means DATA Clustering Approach," *Int. J. Inf. Comput. Technol.*, vol. 4, no. 17, pp. 1847–1860, 2014.
- [19] A. . Jain, M. . Murty, and P. . Flynn, "Data Clustering: A Review," *ACM Comput. Surv.*, vol. 31, no. 3, pp. 265–323, 1999.
- [20] D. Arthur and S. Vassilvitskii, "K-means++: The advantages of careful seeding," *Proc. Annu. ACM-SIAM Symp. Discret. Algorithms*, vol. 07-09-Janu, pp. 1027–1035, 2007.
- [21] H. Zarzour, Z. Al-Sharif, M. Al-Ayyoub, and Y. Jararweh, "A new collaborative filtering recommendation algorithm based on dimensionality reduction and clustering techniques," *2018 9th Int. Conf. Inf. Commun. Syst. ICICS 2018*, vol. 2018-Janua, pp. 102–106, 2018, doi: 10.1109/IACS.2018.8355449.
- [22] U. Dauda and B. M. Ismail, "A study of normalization approach on K-means clustering algorithm," *Int. J. Appl. Math. Stat.*, vol. 45, no. 15, pp. 439–446, 2013.
- [23] V. R. Patel and R. G. Mehta, "Performance analysis of MK-means clustering algorithm with normalization approach," *Proc. 2011 World Congr. Inf. Commun. Technol. WICT 2011*, pp. 974–979, 2011, doi: 10.1109/WICT.2011.6141380.
- [24] D. Virmani, S. Taneja, and G. Malhotra, "Normalization based K means Clustering Algorithm," pp. 1–5, 2015.
- [25] G. Aksu, C. O. Güzeller, and M. T. Eser, "The Effect of the Normalization Method Used in Different Sample Sizes on the Success of Artificial Neural Network Model," *Int. J. Assess. Tools Educ.*, vol. 6, no. 2, pp. 170–192, 2019, doi: 10.21449/ijate.479404.
- [26] A. Martinez-Millana *et al.*, "Optimisation of children z-score calculation based on new statistical techniques," *PLoS One*, vol. 13, no. 12, pp. 1–13, 2018, doi: 10.1371/journal.pone.0208362.
- [27] S. Raschka, "Model Evaluation, Model Selection, and Algorithm Selection in Machine Learning," 2018.
- [28] N. Hidayati, M. Ihsan, and M. Danny, "Pengaruh Singular Value Decomposition Terhadap Metode – Metode Clustering," pp. 95–104, 2017.
- [29] A. A. Mohamed, "An effective dimension reduction algorithm for clustering Arabic text," *Egypt. Informatics J.*, vol. 21, no. 1, pp. 1–5, 2020, doi: 10.1016/j.eij.2019.05.002.
- [30] E. Muningsih, H. M. Nur, F. F. Dwi Imaniawan, Saifudin, V. R. Handayani, and F. Endiarto, "Comparative Analysis on Dimension Reduction Algorithm of Principal Component Analysis and Singular Value Decomposition for Clustering," *J. Phys. Conf. Ser.*, vol. 1641, no. 1, 2020, doi: 10.1088/1742-6596/1641/1/012101.
- [31] J. Macqueen, "Some Methods For Classification And Analysis Of Multivariate Observations," 1967.
- [32] D. S. Maylawati, T. Priatna, H. Sugilar, and M. A. Ramdhani, "Data science for digital culture improvement in higher education using K-means clustering and text analytics," *Int. J. Electr. Comput. Eng.*, vol. 10, no. 5, pp. 4569–4580, 2020, doi: 10.11591/IJECE.V10I5.PP4569-4580.
- [33] C. M. Fikri, F. E. M. Agustin, and F. Mintarsih, "Pengelompokan Kualitas Kerja Pegawai Menggunakan Algoritma K-Means++ Dan Cop-Kmeans Untuk Merencanakan Program Pemeliharaan Kesehatan Pegawai Di Pt. Pln P2B Jb Depok," *Pseudocode*, vol. 4, no. 1, pp. 9–17, 2017, doi: 10.33369/pseudocode.4.1.9-17.
- [34] S. Sukanto, I. D. Id, and T. R. Angraini, "Penentuan Daerah Rawan Titik Api di Provinsi Riau Menggunakan Clustering Algoritma K-Means," *JUITA J. Inform.*, vol. 6, no. 2, p. 137, 2018, doi: 10.30595/juita.v6i2.3172.
- [35] B. Aubaidan, M. Mohd, M. Albared, and F. Author, "Comparative study of k-means and k-means++ clustering algorithms on crime domain," *J. Comput. Sci.*, vol. 10, no. 7, pp. 1197–1206, 2014, doi: 10.3844/jcsp.2014.1197.1206.
- [36] Y. S. Thakare and S. B. Bagal, "Performance Evaluation of K-means Clustering Algorithm with Various Distance Metrics," *Int. J. Comput. Appl.*, vol. 110, no. 11, pp. 12–16, 2015, doi: 10.5120/19360-0929.
- [37] H. L. Sari, D. Suranti, and L. N. Zulita, "Implementation of k-means clustering method for electronic learning model," *J. Phys. Conf. Ser.*, vol. 930, no. 1, 2017, doi: 10.1088/1742-6596/930/1/012021.
- [38] I. A. Stmik and I. Gorontalo, "Penerapan Algoritma Singular Value Decomposition (Svd) Untuk Pengurangan Dimensi Pada High-Dimensional Biomedical Data Set," pp. 1–7.
- [39] B. Jumadi Dehotman Sitompul, O. Salim Sitompul, and P. Sihombing, "Enhancement Clustering Evaluation Result of Davies-Bouldin Index with Determining Initial Centroid of K-Means Algorithm," *J. Phys. Conf. Ser.*, vol. 1235, no. 1, pp. 6–12, 2019, doi: 10.1088/1742-6596/1235/1/012015.
- [40] Y. A. Wijaya, D. A. Kurniady, E. Setyanto, W. S. Tarihoran, D. Rusmana, and R. Rahim, "Davies Bouldin Index Algorithm for Optimizing Clustering Case Studies Mapping School Facilities," *TEM J.*, vol. 10, no. 3, pp. 1099–1103, 2021, doi: 10.18421/TEM103-13.