











- [23] L. Gui, Y. Wang, D. Ramanan, and M. F. Moura, "Few-Shot Human Motion Prediction via," *Eur. Conf. Comput. Vis.*, pp. 1–19, 2020.
- [24] P. Sirinam, M. S. Rahman, N. Mathews, and M. Wright, "Triplet fingerprinting: More practical and portable website fingerprinting with N-shot learning," *Proc. ACM Conf. Comput. Commun. Secur.*, pp. 1131–1148, 2019, doi: 10.1145/3319535.3354217.
- [25] C. Liu *et al.*, "Learning a Few-shot Embedding Model with Contrastive Learning," *35th AAAI Conf. Artif. Intell. AAAI 2021*, vol. 10A, pp. 8635–8643, 2021, doi: 10.1609/aaai.v35i10.17047.
- [26] C. Finn, P. Abbeel, and S. Levine, "Model-agnostic meta-learning for fast adaptation of deep networks," *34th Int. Conf. Mach. Learn. ICML 2017*, vol. 3, pp. 1856–1868, 2017.
- [27] D. Chen, Y. Chen, Y. Li, F. Mao, Y. Hey, and H. Xue, "Self-Supervised Learning for Few-Shot Image Classification," *ICASSP, IEEE Int. Conf. Acoust. Speech Signal Process. - Proc.*, vol. 2021-June, pp. 1745–1749, 2021, doi: 10.1109/ICASSP39728.2021.9413783.
- [28] T. Banerjee, N. R. Thurlapati, V. Pavithra, S. Mahalakshmi, D. Eledath, and V. Ramasubramanian, "Few-shot learning for frame-wise phoneme recognition: Adaptation of matching networks," *Eur. Signal Process. Conf.*, vol. 2021-Augus, pp. 516–520, 2021, doi: 10.23919/EUSIPCO54536.2021.9616234.
- [29] H. Li, W. Dong, X. Mei, C. Ma, and F. Huang, "LGM-Net : Learning to Generate Matching Networks for Few-Shot Learning," 2019.
- [30] Z. Chen, Y. Fu, K. Chen, and Y. G. Jiang, "Image block augmentation for one-shot learning," *33rd AAAI Conf. Artif. Intell. AAAI 2019, 31st Innov. Appl. Artif. Intell. Conf. IAAI 2019 9th AAAI Symp. Educ. Adv. Artif. Intell. EAAI 2019*, vol. 1, pp. 3379–3386, 2019, doi: 10.1609/aaai.v33i01.33013379.
- [31] B. Zhao, X. Sun, Y. Fu, Y. Yao, and Y. Wang, "MSplit LBI: Realizing feature selection and dense estimation simultaneously in few-shot and zero-shot learning," *35th Int. Conf. Mach. Learn. ICML 2018*, vol. 13, pp. 9421–9432, 2018.
- [32] F. Sung, Y. Yang, and L. Zhang, "Relation Network for Few-Shot Learning," *Cvpr*, pp. 1199–1208, 2018.
- [33] S. Gidaris, A. Bursuc, N. Komodakis, P. P. Perez, and M. Cord, "Boosting few-shot visual learning with self-supervision," *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2019-October, pp. 8058–8067, 2019, doi: 10.1109/ICCV.2019.00815.
- [34] A. Parnami and M. Lee, "Learning from Few Examples: A Summary of Approaches to Few-Shot Learning," no. January 2020, pp. 1–32, 2022.
- [35] Y. Cheng, M. Yu, X. Guo, and B. Zhou, "Few-shot Learning with Meta Metric Learners," no. Nips, pp. 1–9, 2019.
- [36] D. Lee, J. Yoon, J. Song, S. Lee, and S. Yoon, "One-Shot Learning for Text-to-SQL Generation," 2019.
- [37] O. Vinyals, C. Blundell, T. Lillicrap, K. Kavukcuoglu, and D. Wierstra, "Matching networks for one shot learning," *Adv. Neural Inf. Process. Syst.*, pp. 3637–3645, 2016.
- [38] S. Jadon, "An Overview of Deep Learning Architectures in Few-Shot Learning Domain," 2020, doi: 10.13140/RG.2.2.31573.24803/1.
- [39] J. Snell, K. Swersky, and R. Zemel, "Prototypical Networks for Few-shot Learning," no. Nips, 2017.
- [40] I. P. Sari, Widodo, M. Nugraheni, and P. Wanda, "A Basic Concept of Image Classification for Covid-19 Patients Using Chest CT Scan and Convolutional Neural Network," *Proceeding - 1st Int. Conf. Inf. Technol. Adv. Mech. Electr. Eng. ICITAMEE 2020*, pp. 175–178, 2020, doi: 10.1109/ICITAMEE50454.2020.9398462.
- [41] C. Michael, "Neural Architecture Search For Smart Phones," 2019.