











surpassing the other two sensors. Based on the confusion matrix testing, the backpropagation ANN was examined using 70 samples, leading to an impressive 91.90% accuracy rate.

## REFERENCES

- [1] S. Anita and Albarda, "Classification Cherry's Coffee using k-Nearest Neighbor (KNN) and Artificial Neural Network (ANN)," in *2020 International Conference on Information Technology Systems and Innovation, ICITSI 2020 - Proceedings*, Oct. 2020, pp. 117–122, doi: 10.1109/ICITSI50517.2020.9264927.
- [2] F. T. Boro, I. Riyanto, and K. Adiyarta, "Automatic Coffee Grinding and Brewing Process with NUC140 Microcontroller," *Autom. Coffee Grind. Brew. Process with NUC140 Microcontroller*, 2017.
- [3] S. Gadre and D. S. Joshi, "E- Nose System using Artificial Neural Networks (ANN) to Detect Pollutant Gases," *IEEE*, no. 978-1-5090-3704-9/17, 2017.
- [4] C. . Calderon *et al.*, "Smartphone-based monitoring system of a coffee roaster machine, applied to small industry," *IEEE*, 2018.
- [5] H. A. Tinoco *et al.*, "Experimental Assessment of the Elastic Properties of Exocarpaceae Mesocarp and Beans of *Coffea arabica* L. var. Castillo Using Indentation Tests," *Agric.*, vol. 12, no. 4, Apr. 2022, doi: 10.3390/agriculture12040502.
- [6] C. G. Viejo, E. Tongson, and S. Fuentes, "Integrating a Low-Cost Electronic Nose and Machine Learning Modelling to Assess Coffee Aroma Profile and Intensity," 2021.
- [7] R. Susanti, Z. Ressay Aidha, M. Yuliza, and S. Yondri, "Artificial Neural Network Application for Aroma Monitoring on The Coffee Beans Blending Process," *JoiV*, vol. 2, 2018.
- [8] S. Abdul Muttalib, J. Nugraha WK, and N. Bintoro, "Analisis Kadar Air dan Aroma Blending Kopi Arabika (*Coffea arabica* L) dan Robusta (*Coffea canephora* L) Selama Penyimpanan Dengan Principal Component Analisis (PCA)," *J. Agrotek Ummat*, vol. 6, no. 1, p. 23, 2019, doi: 10.31764/agrotek.v6i1.955.
- [9] S. Palaniappan, N. A. Hameed, A. Mustapha, and A. Samsudin, "Classification of Alcohol Consumption among Secondary School Students," *joiV*, vol. 1, 2017.
- [10] A. B. M. Wijaya, D. S. Ikawahyuni, R. Gea, and F. Maedjaja, "Role Comparison between Deep Belief Neural Network and Neuro Evolution of Augmenting Topologies to Detect Diabetes," *JOIV*, vol. 5, 2021.
- [11] N. Mohanasundaram, "Non Linear Predictive Modelling for IC Engine Using Artificial Neural Network," in *Proceedings of the 4th International Conference on IoT in Social, Mobile, Analytics and Cloud, ISMAC 2020*, Oct. 2020, pp. 801–807, doi: 10.1109/ISMAC49090.2020.9243342.
- [12] S. N. Kane, A. Mishra, and A. K. Dutta, "Preface: International Conference on Recent Trends in Physics (ICRTP 2016)," *J. Phys. Conf. Ser.*, vol. 755, no. 1, 2016, doi: 10.1088/1742-6596/755/1/011001.
- [13] F. J. P. Montalbo and A. A. Hernandez, "An Optimized Classification Model for *Coffea Liberica* Disease using Deep Convolutional Neural Networks," *Proc. - 2020 16th IEEE Int. Colloq. Signal Process. its Appl. CSPA 2020*, no. Cspa, pp. 213–218, 2020, doi: 10.1109/CSPA48992.2020.9068683.
- [14] E. Science, "Superior varieties of robusta coffee adapted to high elevation based on farmer selection Superior varieties of robusta coffee adapted to high elevation based on farmer selection," 2018, doi: 10.1088/1755-1315/418/1/012020.
- [15] A. Keidel, D. Von Stetten, C. Rodrigues, C. Máguas, and P. Hildebrandt, "Discrimination of green arabica and Robusta coffee beans by Raman spectroscopy," *J. Agric. Food Chem.*, vol. 58, no. 21, pp. 11187–11192, 2010, doi: 10.1021/jf101999c.
- [16] L.-M. Caracostea, "Determination of Caffeine Content in Arabica and Robusta Green Coffee of Indian Origin," vol. 8705, no. June, pp. 69–79, 2021.
- [17] M. H. Samimi and H. D. Ilkhechi, "Survey of different sensors employed for the power transformer monitoring," vol. c, 2019, doi: 10.1049/iet-smt.2019.0103.
- [18] Syafriandi, A. Lubis, R. Fadhill, and O. Paramida, "Characteristics of roasting arabica and robusta coffee beans with rotary cylinder tube roast machine with electric heat source," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 1116, no. 1, 2022, doi: 10.1088/1755-1315/1116/1/012032.
- [19] A. Indah Puspa Rini, A. Agung Suryawan Wiranatha, I. Wayan Gd Sedana Yoga, M. Jurusan Teknologi Industri Pertanian, F. Teknologi Pertanian Unud, and D. Teknologi Industri Pertanian, "The Influence of Broken Coffee Beans in Roasting on Taste of Robusta Coffee at Pucak Sari Village, Buleleng, Bali," 2017.
- [20] Y. Y. Broza, R. Vishinkin, O. Barash, M. K. Nakhleh, and H. Haick, *Chem Soc Rev organic compounds for non-invasive medical evaluation*. Royal Society of Chemistry, 2018.
- [21] T. Thepudom, N. Sricharoenchai, and T. Kercharoen, "Classification of instant coffee odors by electronic nose toward quality control of production," *2013 10th Int. Conf. Electr. Eng. Comput. Telecommun. Inf. Technol. ECTI-CON 2013*, pp. 4–7, 2013, doi: 10.1109/ECTICon.2013.6559482.
- [22] S. Xu *et al.*, "Detecting and monitoring the flavor of tomato (*Solanum lycopersicum*) under the impact of postharvest handlings by physicochemical parameters and electronic nose," *Sensors (Switzerland)*, vol. 18, no. 6, pp. 1–15, 2018, doi: 10.3390/s18061847.
- [23] Y. Arimurti, K. Triyana, and S. Anggrahini, "Portable Electronic Nose for Discrimination of Indonesian Robusta Coffee Aroma with Varied Roasting Temperature Correlated with Gas Chromatography Mass Spectrometry," 2019.
- [24] D. B. Magfira and R. Sarno, "Classification of Arabica and Robusta Coffee Using Electronic Nose," *Int. Conf. Inf. Commun. Technol. (ICOIAC) 978-1-5386-0954-5/18/IEEE645*, 2018.
- [25] H. Li, Q. Chen, J. Zhao, and Q. Ouyang, "Non-destructive evaluation of pork freshness using a portable electronic nose (E-nose) based on a colorimetric sensor array," *Anal. Methods*, vol. 6, no. 16, pp. 6271–6277, 2014, doi: 10.1039/c4ay00014e.
- [26] A. R. Di Rosa, F. Leone, F. Cheli, and V. Chiofalo, "Fusion of electronic nose, electronic tongue and computer vision for animal source food authentication and quality assessment – A review," *J. Food Eng.*, vol. 210, pp. 62–75, 2017, doi: 10.1016/j.jfoodeng.2017.04.024.
- [27] M. Śliwińska, P. Wiśniewska, T. Dymerski, J. Namieśnik, and W. Wardencki, "Food analysis using artificial senses," *J. Agric. Food Chem.*, vol. 62, no. 7, pp. 1423–1448, 2014, doi: 10.1021/jf403215y.
- [28] Z. Haddi *et al.*, "E-Nose and e-Tongue combination for improved recognition of fruit juice samples," *Food Chem.*, vol. 150, pp. 246–253, 2014, doi: 10.1016/j.foodchem.2013.10.105.
- [29] O. Busto, "Analytica Chimica Acta Data fusion methodologies for food and beverage authentication and quality assessment e A review s a , Joan Ferr e Eva Borr a," vol. 891, 2015, doi: 10.1016/j.aca.2015.04.042.
- [30] D. H. Kim, Y. J. Kim, and D. S. Hur, "Artificial neural network based breakwater damage estimation considering tidal level variation," *Ocean Eng.*, vol. 87, pp. 185–190, 2014, doi: 10.1016/j.oceaneng.2014.06.001.
- [31] T. M. Mitchell, *Machine learning*, vol. 1, no. 9. McGraw-hill New York, 1997.
- [32] P. Dixit and S. Londhe, "Prediction of extreme wave heights using neuro wavelet technique," *Appl. Ocean Res.*, vol. 58, pp. 241–252, 2016, doi: 10.1016/j.apor.2016.04.011.
- [33] R. Susanti, R. Nofendra, M. Syaiful, and M. Ilhamdi, "The Use of Artificial Neural Networks in Agricultural Plants The Use of Artificial Neural Networks in Agricultural," vol. 2, pp. 62–68, 2022.
- [34] M. I. Rusydi, A. Anandika, B. Rahmadya, K. Fahmy, and A. Rusydi, "Implementation of grading method for gambier leaves based on combination of area, perimeter, and image intensity using backpropagation artificial neural network," *Electron.*, vol. 8, no. 11, 2019, doi: 10.3390/electronics8111308.
- [35] S. Goyal and G. K. Goyal, "Machine Learning ANN Models for Predicting Sensory Quality of Roasted Coffee Flavoured Sterilized Drink," *ADCAIJ Adv. Distrib. Comput. Artif. Intell. J.*, vol. 2, no. 3, pp. 09–13, 2013, doi: 10.14201/adcaij201426913.
- [36] Y. H. Jung, B. Park, J. U. Kim, and T. Kim, "Bioinspired Electronics for Artificial Sensory Systems," vol. 1803637, pp. 1–22, 2018, doi: 10.1002/adma.201803637.
- [37] J. Tan and J. Xu, "Artificial Intelligence in Agriculture Applications of electronic nose ( e-nose ) and electronic tongue ( e-tongue ) in food quality-related properties determination : A review," *Artif. Intell. Agric.*, vol. 4, pp. 104–115, 2020, doi: 10.1016/j.iaia.2020.06.003.