



















- [16] N. Mukhtar, M. A. Khan, and N. Chiragh, "Lexicon-based approach outperforms supervised machine learning approach for Urdu sentiment analysis in multiple domain," *Telematics and Informatics*, vol. 35, no. 8, pp. 2173–2183, 2018, doi: 10.1016/j.tele.2018.08.003.
- [17] S. Soheily-Khah, P. F. Marteau, and N. Bechet, "Intrusion detection in network systems through hybrid supervised and unsupervised machine learning process: A case study on the iscx dataset," in *Proc. 2018 1st International Conference on Data Intelligence and Security ICDIS*, 2018, pp. 219–226.
- [18] C. C. Aggarwal and C. Xhai, "A survey of text clustering algorithms. mining text data," in *Mining Text Data*. Boston, USA: Springer, 2012. ch. 4, pp. 77–128.
- [19] R. Feldman and J. Sanger, *The Text Mining Handbook: Advanced Approaches in Analyzing Unstructured Data*. Cambridge, UK: Cambridge University Press, 2007.
- [20] G. Battineni, N. Chintalapudi, and F. Amenta, "Machine learning in medicine: Performance calculation of dementia prediction by support vector machines (SVM)," *Informatics in Medicine Unlocked*, vol. 16, pp. 1-8, Jun. 2019, doi: 10.1016/j.imu.2019.100200.
- [21] N. A. Utami, W. Maharani, and I. Atastina, "Personality classification of facebook users according to big five personality using SVM (support vector machine) method," *Procedia Computer Science*, vol. 179, pp. 177–184, 2021, doi: 10.1016/j.procs.2020.12.023.
- [22] I. Santoso, W. Gata, and A. B. Paryanti, "Use of feature selection in the support vector machine algorithm for sentiment analysis of the general election commission," (in Indonesian), *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 3, no. 3, pp. 364–370, Dec. 2019, doi: 10.29207/resti.v3i3.1084.
- [23] F. Hilmiyah, "Prediction of student performance using support vector machines for study program manager in higher education (case study)," (in Indonesian), M. Eng. thesis, Institut Teknologi Sepuluh Nopember, Surabaya, Indonesia, Jul. 2017.
- [24] V. N. Vapnik, *The Nature of Statistical Learning Theory*, second ed. Red Bank, USA: Springer, 2000.
- [25] J. Xu, Y. Zhang, and D. Miao, "Three-way confusion matrix for classification: A measure driven view," *Information Sciences*, vol. 507, pp. 772-794, Jan. 2020, doi: 10.1016/j.ins.2019.06.064.
- [26] J. D. Novaković *et al.*, "Evaluation of classification models in machine learning," *Theory and Applications of Mathematics & Computer Science*, vol. 7, no. 1, pp. 39-46, 2017.
- [27] M. Ali, D-H. Son, S-H. Kang, and S-R. Nam, "An accurate CT saturation classification using a deep learning approach based on unsupervised feature extraction and supervised fine-tuning strategy," *Energies*, vol. 10, no. 11, pp. 1-24, 2017, doi: 10.3390/en10111830.
- [28] D. A. Fauziah, A. Maududie, and I. Nuritha, "Classification of political news using the k-nearest neighbor algorithm," (in Indonesian), *Berkala Saintek*, vol. 6, no. 2, pp. 106-114, 2018, doi: 10.19184/bst.v6i2.9256.
- [29] M. Czajkowski and M. Kretowski, "Decision tree underfitting in mining of gene expression data. An evolutionary multi-test tree approach," *Expert Systems with Applications*, vol. 137, pp. 392–404, 2019, doi: 10.1016/j.eswa.2019.07.019.
- [30] R. Nooraeni *et al.*, "Twitter data sentiment analysis regarding the issue law draft KPK using support vector machine (SVM)," (in Indonesian), *Paradigma –Jurnal Informatika dan Komputer*, vol. 22, no. 1, pp. 55-60, Mar. 2020, doi: 10.31294/p.v21i2.
- [31] K. I. Ruslim, P. P. Adikara, and I. Indriati, "Sentiment analysis on mobile banking application reviews using the support vector machine and lexicon based features methods," (in Indonesian), *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 3, no. 7, pp. 6694–6702, 2019.