











- [14] J. Yuan, G. Chen, H. Li, H. Prautzsch, and K. Xiao, "Accurate and Computational: A review of color reproduction in Full-color 3D printing," *Mater. Des.*, vol. 209, p. 109943, 2021, doi: 10.1016/j.matdes.2021.109943.
- [15] M. Abdelmomen, F. O. Dengiz, and M. Tamre, "Survey on 3D Technologies: Case Study on 3D Scanning, Processing and Printing with a Model," in *2020 21st International Conference on Research and Education in Mechatronics (REM)*, Dec. 2020, pp. 1–6, doi: 10.1109/REM49740.2020.9313881.
- [16] J. Prinsloo, S. Sinha, and B. von Solms, "A review of industry 4.0 manufacturing process security risks," *Appl. Sci.*, vol. 9, no. 23, 2019, doi: 10.3390/app9235105.
- [17] Y. Rehman, H. M. A. Uddin, T. H. M. Siddique, Haris, S. R. U. N. Jafri, and A. Ahmed, "Comparison of Camera and Laser Scanner based 3D Point Cloud," *2019 4th Int. Conf. Emerg. Trends Eng. Sci. Technol. ICEEST 2019*, no. December 2019, 2019, doi: 10.1109/ICEEST48626.2019.8981708.
- [18] K. R. Athira, A. S. Nair, S. Haritha, K. S. Nair, R. M. Thomas, and S. Priyalakshmi, "Infrared sensor based 3D image construction," pp. 2420–2424, 2016.
- [19] E. K. Webb, "Reflected Infrared and 3D Imaging for Object Documentation," *J. Am. Inst. Conserv.*, vol. 56, no. 3–4, pp. 211–224, 2017, doi: 10.1080/01971360.2017.1359463.
- [20] J. Braun, J. Lima, A. I. Pereira, C. Rocha, and P. Costa, "Three-dimensional scanning system based on a low-cost infrared sensor," *IEEE Int. Conf. Emerg. Technol. Fact. Autom. ETFA*, vol. 2021-September, 2021, doi: 10.1109/ETFA45728.2021.9613420.
- [21] B. N. White *et al.*, "An infrared 3D scanning device as a novel limb volume measurement tool in breast cancer patients," *World J. Surg. Oncol.*, vol. 18, no. 1, p. 278, Oct. 2020, doi: 10.1186/s12957-020-02043-y.
- [22] C. W. Yao, "An ultrasonic method for 3D reconstruction of surface topography," *J. Phys. Commun.*, vol. 2, no. 5, 2018, doi: 10.1088/2399-6528/aac691.
- [23] D. B. Mulindwa, "Indoor 3D Reconstruction Using Camera, IMU and Ultrasonic Sensors," *J. Sens. Technol.*, vol. 10, no. 02, pp. 15–30, 2020, doi: 10.4236/jst.2020.102002.
- [24] A. S. Raj, A. Sushmitha, and R. Bharath, "3D Surface Mapping using Ultrasonic Sensors," vol. 3, no. 7, pp. 489–491, 2018.
- [25] I. Sari, Marlindia Ike, Handayani, Rini, Ridho Faishal, subhan, "Pembangunan Sistem Mekanik Rekonstruksi 3-Dimensi Menggunakan Arduino dan Sensor Ultrasonik."
- [26] P. Chakrabarty, "An ultrasonic 3D scanner.," PDF Free Download, <https://docplayer.net/191921832-An-ultrasonic-3d-scanner-prithvijit-chakrabarty-kartik-lovekar.html>.
- [27] Eren, G., et al. 2009, "A 3D scanner for transparent glass," *International Conference on Image Analysis and Processing*, Springer, 519–527.
- [28] B. Adlkhast and O. Manikhi, "A 3D Object Scanner," no. October, 2013.
- [29] B. Møller, I. Balslev, and N. Krüger, "An Automatic Evaluation Procedure for 3-D Scanners in Robotics Applications," vol. 13, no. 2, pp. 870–878, 2013.
- [30] D. Reiser, J. M. Martín-López, E. Memic, M. Vázquez-Arellano, S. Brandner, and H. W. Griepentrog, "3D imaging with a sonar sensor and an automated 3-axes frame for selective spraying in controlled conditions," *J. Imaging*, vol. 3, no. 1, pp. 1–14, 2017, doi: 10.3390/jimaging3010009.
- [31] A. P. Wijaya, A. P. Wijaya, N. Tamami, and H. Oktavianto, "Surface 3D Scanner Using Time of Flight Ranging Sensor with Cylindrical Coordinate System," *J. Mech. Eng. Mechatronics*, vol. 7, no. 1, p. 35, 2022, doi: 10.33021/jmem.v7i1.1477.
- [32] M. Parde, K. Khankal, S. Thotyta, and R. S. Meshram, "Implementation of 3D Scanner Using IR Distance Sensor," no. 2, pp. 4632–4637, 2018.