

REFERENCES

- [1] T. Fadelmoula, "The impact of class attendance on student performance," *Int. Res. J. Med. Med. Sci.*, vol. 6, no. May, pp. 47–49, 2018.
- [2] G. A. Tetteh, "Effects of Classroom Attendance and Learning Strategies on the Learning Outcome," *J. Int. Educ. Bus.*, vol. 11, no. 2, pp. 195–219, 2018.
- [3] B. Bartanen, "Principal Quality and Student Attendance," *Educ. Res.*, vol. 49, no. 2, pp. 101–113, 2020.
- [4] Y. Zhang *et al.*, "A Teaching Evaluation System Based on Visual Recognition Technology," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 782, no. 3, 2020.
- [5] K. Lee Lerner and Brenda Wilmoth Lerner, *World of forensic science*. 2005.
- [6] S. Z. Li and A. K. Jain, *Introduction Face Recognition*. 2011.
- [7] B. Ye and F. Hu, "Research on Cross-Age Face Verification Based on Artificial Neural Network Under Examination Environment," 2017 10th Int. Symp. Comput. Intell. Des., pp. 430–433, 2017.
- [8] N. Bakshi and V. Prabhu, "Face recognition system for access control using principal component analysis," *ICCT 2017 - Int. Conf. Intell. Commun. Comput. Tech.*, vol. 2018-Janua, pp. 145–150, 2018.
- [9] N. A. Abdullah, M. J. Saidi, N. H. A. Rahman, C. C. Wen, and I. R. A. Hamid, "Face recognition for criminal identification: An implementation of principal component analysis for face recognition," *AIP Conf. Proc.*, vol. 1891, 2017.
- [10] L. Wang and A. A. Siddique, "Facial recognition system using LBPH face recognizer for anti-theft and surveillance application based on drone technology," *Meas. Control (United Kingdom)*, vol. 53, no. 7–8, pp. 1070–1077, 2020.
- [11] M. Turk and A. Pentland, "Eigenfaces for recognition," *J. Cogn. Neurosci.*, vol. 3, no. 1, pp. 71–86, 1991.
- [12] M. S. Bartlett, J. R. Movellan, and T. J. Sejnowski, "Face recognition by independent component analysis," *IEEE Trans. Neural Networks*, vol. 13, no. 6, pp. 1450–1464, Nov. 2002.
- [13] P. N. Belhumeur, J. P. Hespanha, and D. J. Kriegman, "Eigenfaces vs. fisherfaces: Recognition using class specific linear projection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 19, no. 7, pp. 711–720, 1997.
- [14] H. Hu, P. Zhang, and F. De la Torre, "Face recognition using enhanced linear discriminant analysis," *IET Comput. Vis.*, vol. 4, no. 3, p. 195, 2010.
- [15] Jian Yang, D. Zhang, A. F. Frangi, and Jing-yu Yang, "Two-dimensional pca: a new approach to appearance-based face representation and recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 26, no. 1, pp. 131–137, Jan. 2004.
- [16] I. Naseem, R. Togneri, and M. Bennamoun, "Linear regression for face recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 32, no. 11, pp. 2106–2112, 2010.
- [17] R. Rahim, T. Afriliansyah, H. Winata, D. Nofriansyah, Ratnadewi, and S. Aryza, "Research of Face Recognition with Fisher Linear Discriminant," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 300, no. 1, 2018.
- [18] X. He, S. Yan, Y. Hu, P. Niyogi, and H. J. Zhang, "Face recognition using Laplacianfaces," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 27, no. 3, pp. 328–340, 2005.
- [19] T. Ahonen, A. Hadid, and M. Pietikäinen, "Face description with local binary patterns: Application to face recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 28, no. 12, pp. 2037–2041, 2006.
- [20] A. Bolotnikova, H. Demirel, and G. Anbarjafari, "Real-time ensemble based face recognition system for NAO humanoids using local binary pattern," *Analog Integr. Circuits Signal Process.*, vol. 92, no. 3, pp. 467–475, 2017.
- [21] B. Zhang, S. Shan, X. Chen, and W. Gao, "Histogram of Gabor phase patterns (HGPP): A novel object representation approach for face recognition," *IEEE Trans. Image Process.*, vol. 16, no. 1, pp. 57–68, 2007.
- [22] B. Yang and S. Chen, "A comparative study on local binary pattern (LBP) based face recognition: LBP histogram versus LBP image," *Neurocomputing*, vol. 120, pp. 365–379, 2013.
- [23] H. Cevikalp, M. Neamtu, M. Wilkes, and A. Barkana, "Discriminative common vectors for face recognition," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 27, no. 1, pp. 4–13, 2005.
- [24] Y. Wen, "An improved discriminative common vectors and support vector machine based face recognition approach," *Expert Syst. Appl.*, vol. 39, no. 4, pp. 4628–4632, 2012.
- [25] E. Kokiopoulou and Y. Saad, "Orthogonal neighborhood preserving projections: A projection-based dimensionality reduction technique," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 12, pp. 2143–2156, 2007.
- [26] M. Z. Al-Dabagh, M. H. Mohammed Alhabib, and F. H. AL-Mukhtar, "Face Recognition System Based on Kernel Discriminant Analysis, K-Nearest Neighbor and Support Vector Machine," *Int. J. Res. Eng.*, vol. 5, no. 2, pp. 335–338, Mar. 2018.
- [27] X. M. Zhao and C. B. Wei, "A real-time face recognition system based on the improved LBPH algorithm," 2017 IEEE 2nd Int. Conf. Signal Image Process. ICSIP 2017, vol. 2017-Janua, pp. 72–76, 2017.
- [28] R. Singh, M. Vatsa, and A. Noore, "Face recognition with disguise and single gallery images," *Image Vis. Comput.*, vol. 27, no. 3, pp. 245–257, 2009.
- [29] E. L.-M. Huang, Gary B., Honglak Lee, "Learning Hierarchical Representations for Face Verification.pdf," pp. 978-1-4673-1228-8/12, 2012.
- [30] Y. Taigman, M. Yang, M. Ranzato, and L. Wolf, "DeepFace: Closing the Gap to Human-Level Performance in Face Verification," in 2014 IEEE Conference on Computer Vision and Pattern Recognition, 2014, vol. 73, no. 6, pp. 1701–1708.
- [31] Y. Sun, X. Wang, and X. Tang, "Deeply learned face representations are sparse, selective, and robust," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 07-12-June, pp. 2892–2900, 2015.
- [32] X. Xu, H. A. Le, P. Dou, Y. Wu, and I. A. Kakadiaris, "Evaluation of a 3D-aided pose invariant 2D face recognition system," *IEEE Int. Jt. Conf. Biometrics, IJCB 2017*, vol. 2018-Janua, pp. 446–455, 2018.
- [33] S. Qiao and J. Ma, "A Face Recognition System Based on Convolution Neural Network," *Proc. 2018 Chinese Autom. Congr. CAC 2018*, pp. 1923–1927, 2019.
- [34] M. Nakada, H. Wang, and D. Terzopoulos, "AcFR: Active Face Recognition Using Convolutional Neural Networks," *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. Work.*, vol. 2017-July, pp. 35–40, 2017.
- [35] H. M. Moon, C. H. Seo, and S. B. Pan, "A face recognition system based on convolution neural network using multiple distance face," *Soft Comput.*, vol. 21, no. 17, pp. 4995–5002, 2017.
- [36] F. Schroff, D. Kalenichenko, and J. Philbin, "FaceNet: A unified embedding for face recognition and clustering," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 07-12-June, pp. 815–823, 2015.
- [37] Sharanya T, "Online Attendance using Facial Recognition," *Int. J. Eng. Res.*, vol. V9, no. 06, pp. 202–207, 2020.
- [38] N. T. Son *et al.*, "Implementing CCTV-based attendance taking support system using deep face recognition: A case study at FPT polytechnic college," *Symmetry (Basel)*, vol. 12, no. 2, 2020.
- [39] L. Zhi-heng and L. Yong-zhen, "Design and Implementation of Classroom Attendance System Based on Video Face Recognition," 2019 Int. Conf. Intell. Transp. Big Data Smart City, pp. 385–388, 2019.
- [40] E. Rekha and P. Ramaprasad, "An efficient automated attendance management system based on Eigen Face recognition," in 2017 7th International Conference on Cloud Computing, Data Science & Engineering - Confluence, 2017, vol. 5, pp. 605–608.
- [41] N. K. Ayu Wirdiani, T. Lattifia, I. K. Supadma, B. J. Kemanang Mahar, D. A. Nadia Taradhita, and A. Fahmi, "Real-Time Face Recognition with Eigenface Method," *Int. J. Image, Graph. Signal Process.*, vol. 11, no. 11, pp. 1–9, Nov. 2019.
- [42] V. Kazemi and J. Sullivan, "One millisecond face alignment with an ensemble of regression trees," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 1867–1874, 2014.
- [43] M. D. Zeiler and R. Fergus, "Visualizing and understanding convolutional networks," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 8689 LNCS, no. PART 1, pp. 818–833, 2014.
- [44] C. Szegedy *et al.*, "Going deeper with convolutions," *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 07-12-June, pp. 1–9, 2015.
- [45] Y. Sun, X. Wang, and X. Tang, "Deep Learning Face Representation by Joint Identification-Verification," pp. 1–9, 2014.
- [46] K. Q. Weinberger and L. K. Saul, "Distance Metric Learning for Large Margin Nearest Neighbor Classification," *J. Mach. Learn. Res.*, vol. 10, pp. 173–179, 2007.