















- [20] L.-R. Matindoust, S., Baghaei-Nejad, M., Shahrokh Abadi, M.H., Zou, Z. and Zheng, "Food quality and safety monitoring using gas sensor array in intelligent packaging," *Sens. Rev.*, vol. 36, no. 2, pp. 169–183, 2016, doi: <https://doi.org/10.1108/SR-07-2015-0115>.
- [21] M. N. and N. B. . S. Prajapati, R. Soman, S. B. Rudraswamy, "Single Chip Gas Sensor Array for Air Quality Monitoring," *J. Microelectromechanical Syst.*, vol. 26, no. 2, pp. 433–439, doi: [10.1109/JMEMS.2017.2657788](https://doi.org/10.1109/JMEMS.2017.2657788).
- [22] F. Mujaahid, A. Malik Hizbullah, F. Dhimas Syahfitra, M. Abduh Dahlan, and N. Dwi Juliansyah, "Development of User Interface Based on LabVIEW for Unmanned Aircraft Application," *J. Electr. Technol. UMY*, vol. 1, no. 2, pp. 106–111, 2017, doi: [10.18196/jet.1214](https://doi.org/10.18196/jet.1214).
- [23] Naji Mordi Naji Al-Dosary, "Development of a LabVIEW Application for Measurement and Analysis of Acceleration Signals from an External Reference," *J. Agric. Sci. Technol. A*, vol. 7, no. 5, pp. 317–333, 2017, doi: [10.17265/2161-6256/2017.05.004](https://doi.org/10.17265/2161-6256/2017.05.004).
- [24] Andrizal, R. Chadry, and A. I. Suryani, "Embedded system using field programmable gate array (Fpga) myrio and labview programming to obtain data pattern emission of car engine combustion categories," *Int. J. Informatics Vis.*, vol. 2, no. 2, pp. 56–62, 2018, doi: [10.30630/joiv.2.2.50](https://doi.org/10.30630/joiv.2.2.50).
- [25] H. K. Mohajan, "Two Criteria for Good Measurements in Research: Validity and Reliability," *Ann. Spiru Haret Univ. Econ. Ser.*, vol. 17, no. 4, pp. 59–82, 2017, doi: [10.26458/1746](https://doi.org/10.26458/1746).