











- [9] Y. Shi *et al.*, "Study on the Syndrome Characteristics and Classification Model of Non-Small Cell Lung Cancer Based on Tongue and Pulse Data," 2021.
- [10] Y. Hao *et al.*, "A noninvasive, economical, and instant-result method to diagnose and monitor type 2 diabetes using pulse wave: case-control study," *JMIR mHealth and uHealth*, vol. 7, no. 4, p. e11959, 2019.
- [11] H.-C. Chen *et al.*, "Pulse-line intersection method with unboxed artificial intelligence for hesitant pulse wave classification," *Information Processing & Management*, vol. 59, no. 2, p. 102855, Mar. 2022, doi: 10.1016/j.ipm.2021.102855.
- [12] M. Zhang, X. Li, and L. Wang, "An Adaptive Outlier Detection and Processing Approach Towards Time Series Sensor Data," *IEEE Access*, vol. 7, pp. 175192–175212, 2019, doi: 10.1109/ACCESS.2019.2957602.
- [13] F. Thabtah, S. Hammoud, F. Kamalov, and A. Gonsalves, "Data imbalance in classification: Experimental evaluation," *Information Sciences*, vol. 513, pp. 429–441, 2020.
- [14] H.-C. Chen, E. Prasetyo, S. S. Kusumawardani, S.-S. Tseng, T.-L. Kung, and K.-Y. Wang, "Learning Performance Prediction with Imbalanced Virtual Learning Environment Students' Interactions Data," in *International Conference on Innovative Mobile and Internet Services in Ubiquitous Computing*, 2021, pp. 330–340.
- [15] D. Devi, S. K. Biswas, and B. Purkayastha, "Learning in presence of class imbalance and class overlapping by using one-class SVM and undersampling technique," *Connection Science*, vol. 31, no. 2, pp. 105–142, 2019.
- [16] E. H. Budiarto, A. Erna Permanasari, and S. Fauziati, "Unsupervised Anomaly Detection Using K-Means, Local Outlier Factor and One Class SVM," in *2019 5th International Conference on Science and Technology (ICST)*, Yogyakarta, Indonesia, Jul. 2019, pp. 1–5. doi: 10.1109/ICST47872.2019.9166366.
- [17] J. Cui, L. Tu, J. Zhang, S. Zhang, Z. Zhang, and J. Xu, "Analysis of Pulse Signals Based on Array Pulse Volume," *Chin. J. Integr. Med.*, vol. 25, no. 2, pp. 103–107, Feb. 2019, doi: 10.1007/s11655-018-2776-y.
- [18] K. Gokcesu, M. M. Neyshabouri, H. Gokcesu, and S. S. Kozat, "Sequential outlier detection based on incremental decision trees," *IEEE Transactions on Signal Processing*, vol. 67, no. 4, pp. 993–1005, 2018.
- [19] D. Cortes, "Explainable outlier detection through decision tree conditioning," *arXiv preprint arXiv:2001.00636*, 2020.
- [20] S. Y. Sheikh and M. T. Jilani, "A ubiquitous wheelchair fall detection system using low-cost embedded inertial sensors and unsupervised one-class SVM," *J Ambient Intell Human Comput*, Apr. 2021, doi: 10.1007/s12652-021-03279-6.
- [21] Z. Wang, Y. Fu, C. Song, P. Zeng, and L. Qiao, "Power System Anomaly Detection Based on OCSVM Optimized by Improved Particle Swarm Optimization," *IEEE Access*, vol. 7, pp. 181580–181588, 2019, doi: 10.1109/ACCESS.2019.2959699.
- [22] R. B. Zhang, L. H. Xia, and Y. Lu, "Anomaly Detection of ICS based on EB-OCSVM," *J. Phys.: Conf. Ser.*, vol. 1267, no. 1, p. 012054, Jul. 2019, doi: 10.1088/1742-6596/1267/1/012054.
- [23] M. Ahmed, R. Seraj, and S. M. S. Islam, "The k-means algorithm: A comprehensive survey and performance evaluation," *Electronics*, vol. 9, no. 8, p. 1295, 2020.
- [24] K. P. Sinaga and M.-S. Yang, "Unsupervised K-means clustering algorithm," *IEEE access*, vol. 8, pp. 80716–80727, 2020.
- [25] A. F. Jahwar and A. M. Abdulazeez, "Meta-heuristic algorithms for K-means clustering: A review," *PalArch's Journal of Archaeology of Egypt/Egyptology*, vol. 17, no. 7, pp. 12002–12020, 2020.
- [26] S.-H. Jung, H. Lee, and J.-H. Huh, "A novel model on reinforce K-means using location division model and outlier of initial value for lowering data cost," *Entropy*, vol. 22, no. 8, p. 902, 2020.
- [27] C. Chen, Y. Wang, W. Hu, and Z. Zheng, "Robust multi-view k-means clustering with outlier removal," *Knowledge-Based Systems*, vol. 210, p. 106518, 2020.
- [28] P. J. Jones *et al.*, "FilterK: A new outlier detection method for k-means clustering of physical activity," *Journal of biomedical informatics*, vol. 104, p. 103397, 2020.
- [29] S. Zhao, W. Li, and J. Cao, "A user-adaptive algorithm for activity recognition based on k-means clustering, local outlier factor, and multivariate gaussian distribution," *Sensors*, vol. 18, no. 6, p. 1850, 2018.
- [30] B. Angelin and A. Geetha, "Outlier Detection using Clustering Techniques–K-means and K-median," in *2020 4th International Conference on Intelligent Computing and Control Systems (ICICCS)*, 2020, pp. 373–378.
- [31] S. Kanjanawattana, "A novel outlier detection applied to an adaptive k-means," *International Journal of Machine Learning and Computing*, vol. 9, no. 5, pp. 569–574, 2019.
- [32] Prayitno *et al.*, "A Systematic Review of Federated Learning in the Healthcare Area: From the Perspective of Data Properties and Applications," *Applied Sciences*, vol. 11, no. 23, Art. no. 23, Jan. 2021, doi: 10.3390/app112311191.